DECLARATION in accordance with 37 CFR 1.132

1,	the	undersigne	ed Emmilia	i Hodak,	MD,	a	citizen	01	Israel	resi	ding	ın	
	, Israel hereby declare as follows:												
1)		I hold a		Degree	from .							<u>.</u> I	
ar	n cu	rrently emp	oloyed as t	he Head	of the	e l	Pre-Clin	ical	Resea	ırch	Unit	of	
Assaf Harofeh Medical Center.													

2) In August 2005, I was requested by the Applicant to perform a preclinical experiment at Assaf Harofeh Medical Center under my supervision as the Head of the pre-clinical research unit of Assaf Harofeh Medical Center, according to the guidelines of the local committee for animal experiments. The experiment took place at Research and Development department of Assaf Harofeh Medical Center.

The purpose of the of the experiment as it was presented to me by the company was to test the safety and efficacy of a new approach developed by Hawk Medical Technologies Ltd. for the removal of tattoo pigments. The treatment consisted of three elements: a machine, 100 cc of 5% Salicylic acid and absorption bandage, containing a mixture of 50% NaCl with 50% KY jell. The experiment is described in more detail below and in the figures attached:

a) For the purpose of the experiment, 27 squares of 1sq cm each (see fig. #2) were tattooed by the company's personnel on each side of a pig (5 pigs participated). The company allowed the tattoo to be established in the animal skin for a duration of three months prior to the commencement of the tattoo removal process. The company claims that for the ideal result of tattoo removal in a single treatment, so the following three elements were used according to the company's instructions: (i) the Eraser machine (see fig. #3) puncturing the tattooed area; (ii) 5% Salicylic acid liquid spraying during specific timing washing the needles upon each upper stroke; and (iii) a unique absorption pad comprised of a mixture of 50% NaCl with 50% KY jell was applied on the working area for 30 min.

- b) 9 squares were treated with a regular pad and 18 squares were treated using the unique active absorption pad featuring the combination of KY and table salt pad.
- c) Although the mixture of KY jell and table salt caused great discomfort to the animals and an itching sensation could be clearly demonstrated by the pig's restless behavior after the KY and salt pad were applied, we could clearly see substantial quantities of tattoo pigment on the KY and salt pads which were not noticed on any of the regular pads. In addition, the working area treated using a mixture of 50% NaCl with 50% KY jell pads demonstrated significant higher efficiency compared to the working area of which regular pads were applied upon (see fig. #4).
- d) Following 4 weeks after the tattoo removal treatment, I clearly noticed that while the area treated using the company's unique absorption pad showed absolute total pigment removal and healed skin, the areas treated using the regular pads had most of the pigment still intact although the colors were less bright and slightly faded.
- 3) In conclusion, it is obvious, in my opinion and based on my previous experience, that despite the irritating sensation which has been noticed during the pre clinical tests using Hawk Medical Technologies, the active absorbing pad used post treatment is a necessary integral part of the procedure and proved to have clearly and significantly enhanced and improved the final tattoo removal results.
- 4) I hereby declare that all statements made herein of my own knowledge are true and that all statements made herein on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the subject application or any patent issuing thereon.

U.S. 10/560,630

5) The name and signature below are my name and signature.

This __ day of December, 2007

DRAFT

Y. Siman-Tov, MD




Fig #2




Fig #3






Fig. #4





Before (unique pad)



After (unique pad)

